

Job No. 16808
 Company U.S. GEOLOGICAL SURVEY
 Well SDLH
 Field ESCONDIDO
 County SAN DIEGO State CA

Location: 13455 SAN PASQUAL AVE
 GPS: N 33o 03.333' W 117o 02.781'
 Sec. Twp. Rge. Other Services: GRILL3 ELOG CALIPER

Permanent Datum	G.L.	Elevation	Elevation
Log Measured From	G.L.	above perm. datum	K.B. D.F. G.L.
Drilling Measured From	G.L.		
Date	10-03-2012		
Run Number	ONE		
Depth Driller	275'		
Depth Logger	275'		
Bottom Logged Interval	275'		
Top Log Interval	0'		
Casing Driller	N/A		
Casing Logger	N/A		
Bit Size	9.875" TO 125'	9.5" TO 130'	7.875" TO 275'
Type Fluid in Hole	BENTONITE		
Density / Viscosity	N/A		
pH / Fluid Loss	N/A		
Source of Sample	PIT		
Rm @ Meas. Temp	2.5 @ 91.4F		
Rmf @ Meas. Temp	3.4 @ 91.4F		
Rmc @ Meas. Temp	N/A		
Source of Rmf / Rmc	MEAS		
Rm @ BHT	N/A		
Time Circulation Stopped	1230		
Time Logger on Bottom	1430		
Max. Recorded Temperature	N/A		
Equipment Number	PS-5		
Location	LA		
Recorded By	SCHUMACHER		
Witnessed By	J. NAWIKAS		


<<< Fold Here >>>



All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Database File 16808.db
 Dataset Pathname SNC
 Presentation Format sit
 Dataset Creation Wed Oct 03 15:20:42 2012
 Charted by Depth in Feet scaled 1:240

340	Delta Time (usec/ft)	40	ITT	200	Variable Density 5 ft	1600	200	Variable Density 5 ft	1600
60	Gamma-Ray (GAPI)	110	5 (msec)	0	RLL3 (Ohm-m)	100			
					100	RLL3 back-up (Ohm-m)	20000		





340	Delta Time (usec/ft)	40	ITT	200	Variable Density 5 ft	1600	200	Variable Density 5 ft	1600
60	Gamma-Ray (GAPI)	110	5 (msec)	0	RLL3 (Ohm-m)	100			
					100	RLL3 back-up (Ohm-m)	20000		