

Job No. 16857
 Company U.S. GEOLOGICAL SURVEY
 Well SDSE
 Field SOLANA BEACH
 County SAN DIEGO State CA

Location: GPS: N300 500.529' W1170 15.726'
 Sec. Twp. Rge. Other Services: ELOG GRILL3 DUAL INDUCTION CALIPER

Permanent Datum	G.L.	Elevation	
Log Measured From	G.L.	above perm. datum	K.B. D.F. G.L.
Drilling Measured From	G.L.		
Date	10/24/2012		
Run Number	ONE		
Depth Driller	1185'		
Depth Logger	1184'		
Bottom Logged Interval	1184'		
Top Log Interval	0'		
Casing Driller	N/A		
Casing Logger	N/A		
Bit Size	8.75" 0-600'	7.875" 600'-1185'	
Type Fluid in Hole	BENTONITE		
Density / Viscosity	N/A		
pH / Fluid Loss	N/A		
Source of Sample	PIT		
Rm @ Meas. Temp	1.6 @ 77F		
Rmf @ Meas. Temp	1.8 @ 77F		
Rmc @ Meas. Temp	N/A		
Source of Rmf / Rmc	MEASURE		
Rm @ BHT	N/A		
Time Circulation Stopped	17:15		
Time Logger on Bottom	19:50		
Max. Recorded Temperature	N/A		
Equipment Number	PS-4		
Location	L.A.		
Recorded By	ABREAU		
Witnessed By	A. KJOS		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Database File 16857.db
 Dataset Pathname SNC
 Presentation Format sit
 Dataset Creation Wed Oct 24 21:33:22 2012
 Charted by Depth in Feet scaled 1:240

240	Delta Time (usec/ft)	40	ITT	200	Variable Density 5 ft	1600	200	Variable Density 5 ft	1600
30	Gamma-Ray (GAPI)	130	5 (msec)	0	RLL3 (Ohm-m)	150			
					150 RLL3 back-up (Ohm-m)	1500			











